

Model:

B-192

Typology:

ROUTINE MICROSCOPE B-192

Description:

Educational and laboratory microscope for routine applications. Dye-cast frame, with high stability and ergonomy, for transmitted light observation.

LED power 3W, comparable to an halogen bulb 30-35W. Color temperature: 6300K LED average life time approx. 50.000h. Voltage: external power supply 100/240Vac, 50/60Hz, output: 7,5 V Max power required: 7W Disservation Modes Brightfield Coaxial coarse and fine focusing mechanism (graduated, 0.002mm) with upper stop, to prevent the contact between objective and specimen. Adjustable tension of coarse focusing knob. Double layer with mechanical sliding stage, size 125x115mm, X-Y movement range 76x30, specimen holder for one slide. Vernier scale on the two axes, accuracy 0,1 mm. Nosepiece Quadruple revolving nosepiece, rotation on ball bearings. Binocular observation head, inclined 30° and rotatable 360°. Diopter adjustment on left eyepieces. Interpupillary adjustment 48-75 mm. Eyepieces Wide field eyepieces WF10X/18 with field number 18. Objectives Achromatic DIN 10X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 0, 73 mm -) Achromatic DIN 10X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 10X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 10X, A.N. 1,25 precentered Dimensions HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg		
Coaxial coarse and fine focusing mechanism (graduated, 0.002mm) with upper stop, to prevent the contact between objective and specimen. Adjustable tension of coarse focusing knob. Double layer with mechanical sliding stage, size 125x115mm, X-Y movement range 76x30, specimen holder for one slide. Vernier scale on the two axes, accuracy 0,1 mm. Nosepiece Quadruple revolving nosepiece, rotation on ball bearings. Binocular observation head, inclined 30° and rotatable 360°. Diopter adjustment on left eyepieces. Interpupillary adjustment 48-75 mm. Eyepieces Wide field eyepieces WF10X/18 with field number 18. Achromatic objectives with mechanical tube length 160 mm, made by following objectives: -) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 0,53 mm -) Achromatic DIN 10X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Dimensions HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Illumination	LED power 3W, comparable to an halogen bulb 30-35W. Color temperature: 6300K LED average life time approx. 50.000h. Voltage: external power supply 100/240Vac, 50/60Hz, output: 7,5 V
between objective and specimen. Adjustable tension of coarse focusing knob. Double layer with mechanical sliding stage, size 125x115mm, X-Y movement range 76x30, specimen holder for one slide. Vernier scale on the two axes, accuracy 0,1 mm. Nosepiece Quadruple revolving nosepiece, rotation on ball bearings. Binocular observation head, inclined 30° and rotatable 360°. Diopter adjustment on left eyepieces. Interpupillary adjustment 48-75 mm. Eyepieces Wide field eyepieces WF10X/18 with field number 18. Achromatic objectives with mechanical tube lenght 160 mm, made by following objectives: -) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 10X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Dimensions HEIGHT: 370 mm UNDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Observation Modes	Brightfield
one slide. Vernier scale on the two axes, accuracy 0,1 mm. Nosepiece Quadruple revolving nosepiece, rotation on ball bearings. Binocular observation head, inclined 30° and rotatable 360°. Diopter adjustment on left eyepieces. Interpupillary adjustment 48-75 mm. Eyepieces Wide field eyepieces WF10X/18 with field number 18. Achromatic objectives with mechanical tube lenght 160 mm, made by following objectives: -) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 40X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Abbe condenser, N.A. 1,25 precentered Dimensions HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Focusing	between objective and specimen.
Binocular observation head, inclined 30° and rotatable 360°. Diopter adjustment on left eyepieces. Interpupillary adjustment 48-75 mm. Eyepieces Wide field eyepieces WF10X/18 with field number 18. Achromatic objectives with mechanical tube lenght 160 mm, made by following objectives: -) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 40X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Abbe condenser, N.A. 1,25 precentered HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Stage	
Diopter adjustment on left eyepieces. Interpupillary adjustment 48-75 mm. Eyepieces Wide field eyepieces WF10X/18 with field number 18. Achromatic objectives with mechanical tube lenght 160 mm, made by following objectives: -) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 40X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Abbe condenser, N.A. 1,25 precentered HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Nosepiece	Quadruple revolving nosepiece, rotation on ball bearings.
Achromatic objectives with mechanical tube lenght 160 mm, made by following objectives: -) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 40X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Abbe condenser, N.A. 1,25 precentered HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Head	Diopter adjustment on left eyepieces.
-) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 40X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion) All objectives are treated with an anti-fungus treatment. Condenser Abbe condenser, N.A. 1,25 precentered HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Eyepieces	Wide field eyepieces WF10X/18 with field number 18.
HEIGHT: 370 mm WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Objectives	-) Achromatic DIN 4X, A.N. 0.10, W.D. 18 mm -) Achromatic DIN 10X, A.N. 0.25, W.D. 7 mm -) Achromatic DIN 40X, A.N. 0.65, W.D. 0,53 mm -) Achromatic DIN 100X, A.N. 1,25, W.D. 0,13 mm (oil immersion)
WIDHT: 235 mm DEPTH: 290 mm WEIGHT: 6,5 kg	Condenser	Abbe condenser, N.A. 1,25 precentered
Accessories Instruction manual and dust cover included	Dimensions	WIDHT: 235 mm DEPTH: 290 mm
	Accessories	Instruction manual and dust cover included



Connect With Us













