



Titer Plate Shakers



Model 4625

Vortex Up to Four 96-Well Micro or Deep Well Plates!

- Independent start switch for run repeatability
- Variable speed control from 40 to 1100 rpm
- Built-in timer for time dependent studies
- Minimize crosstalk between wells with 0.12" orbit
- ☆ 24 Month Warranty



Product Description

- Accommodate a variety of conditions from gentle stirring to vigorous vortexing with solid state controls from 40 to 1100 rpm with a rotary dial.
- Set timer for continuous operation or timed runs from 30 seconds to 5 minutes (adjustable in 30 second increments) shaker automatically shuts off at end of timed run.
- Units operate continuously even in temperature ranges from 0° to +40°C and humidity conditions from 20 to 80% non-condensing enabling them to be used in a variety of environments.
- Finger slots facilitate titer plate removal.
- Use independent start switch to activate shaker once you have preset time and speed - use for run repeatability.
- Maximum load 2 lbs (1 kg), four deep well plates.

Applications

- Protein Synthesis
- Pharmaceutical Profiling
- Rh Factor Testing
- ELISA
- Enzyme Immunoassays
- Polymerase Assays

ORDERING INFORMATION

Model #	Speed Range (rpm)	Orbit Diameter Inches (cm)	Dimensions* Inches (cm)			Volts	Hz	Amps	Watts	Shipping Weight Lb. (kg)
			W	H	D					
4625	40 to 1100	0.12 (0.3)	11(28)	7(18)	11(28)	120	60	1.0	120	25 (11)
4625-1	40 to 1100	0.12 (0.3)	11(28)	7(18)	11(28)	240	50	0.5	120	25 (11)

*Without platform. Platform Dimensions: 7.75" (19.7 cm) x 10.75" (27.3 cm)
Maximum Load Lbs (kg) 2 (1) four Deep Well Plates

Connect With Us

